



# Home & Healthcare



**Linear Collection** 06

**Linear Twin Waters™** 08

**Hygienic Seal® Collection** 10

**Clam® Flange Collection** 12

**Shower Seats** 14

**Tiltlock®** 15

**Shower Kits** 16

**Handpieces** 18



# Symbols

Con-Serv symbols are designed to give assistance to architects, retailers and consumers in selecting the most suitable option/s when purchasing grab rails, showers, shower seats and flow valves. They are particularly relevant when selecting items for installation in accessible sanitary facilities where Australian Standards are being implemented, when Changing Places accreditation is required, and when water flow rates are critical. The symbols below are used throughout this retail price catalogue as a quick and easy reference guide during the planning and purchasing process.



### ACCESSIBLE COMPLIANT

This symbol when exhibited, confirms that the grab rail complies with Section 12.2 Accessible Unisex Sanitary Facilities of AS 1428.1:2021 Design for access and mobility.




### DIMENSIONAL COMPLIANT

This symbol when exhibited confirms that the item complies with the dimensional requirements of AS 1428.1:2021 Design for access and mobility for installation where applicable to water closets and 2 walled shower enclosure.



### BIOMASTER

Biomaster is an industry leader in antimicrobial protection offering superior protection against harmful bacteria such as Campylobacter, E.coli, Salmonella and Listeria. Check for this icon when you need antimicrobial protection.



### MULTI-FUNCTION SPRAY

This symbol denotes that the shower head or handpiece has three adjustable spray patterns. Con-Serv multi-function spray patterns include Soft; Pulsating and Bubble spray.




### WATERMARK

WaterMark is a certification mark provided by independent certifying authorities. It confirms the product complies with the Plumbing Code and meets relevant Australian Standards relating to product quality, including health and safety.



### WATER EFFICIENCY LABELLING (WELS)

The water rating label will tell you how much water that a product will use per minute, per flush or per load. The label is designed to help consumers make informed choices about the water efficiency of products they are buying.



### LINEAR

This symbol confirms the grab rail as represented is manufactured with Con-Serv's "T" leg linear flange, with Biomaster Thermoplastic Elastomer fitted seals. Linear grab rails comply with Section 14 Grabrails of AS 1428.1:2021.



### HYGIENIC SEAL®

This symbol confirms the grab rail as represented is manufactured with Con-Serv's own Hygienic Seal®, 50mm flange with Biomaster Thermoplastic Elastomer fitted seals. Hygienic Seal® grab rails comply with Section 14 Grabrails of AS 1428.1:2021.



### CLAM FLANGE®

This symbol confirms the grab rail as represented is manufactured with a pre-formed 78mm snap on domed cover and complies with Section 14 Grabrails of AS 1428.1:2021.

# Certification & Licensing

Plumbing products sold in Australia must have WaterMark certification and a registered licence under the Water Efficiency Labelling and Standards (WELS) scheme. Certification and licencing confirm the product complies with the Plumbing Code of Australia, is fit for purpose and meets the relevant Australian Standards. All Con-Serv showers, flow controls devices and dual check/non-return valves possess the WaterMark Certificate of Conformity, and fulfill all requirements for licencing purposes by the Water Efficiency Labelling and Standards scheme.

PRODUCT RANGE	WATERMARK CERTIFICATE	WELS LICENCE	RATING
Bariatric Showers	AS 3662 WMKT 21147	0046	3 & 5 Star
Clam® Flange Showers		0046	3 & 5 Star
Handheld Showers		0046	3,4 & 5 Star
Hygienic Seal® Showers		0046	3,4 & 5 Star
Linear Showers		0046	3 & 4 Star
Linear Twin Waters™		0046	3 Star

For further information regarding certification and licencing, please use the following links:

WaterMark Certification Scheme: <https://www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme>

Water Efficient Labelling Scheme: <https://www.waterrating.gov.au/>

\*All information tabled correct at time of printing

# LINEAR COLLECTION



Scan to see our full range



- Ambulant Toilet Assist Grab Rail**  
LR 454 PS LH
- 450mm X 450mm centre to centre
- Available in Left Hand or Right Hand configuration
- Meets the requirements of AS 1428.1:2021




- Straight Grab Rail**  
LR 450 PS
- Also available in 300mm, 450mm, 600mm, 700mm, 800mm, 900mm and 1000mm
- All measurements are Ø to Ø
- Meets the requirements of AS 1428.1:2021



- Accessible Toilet Assist Grab Rail**  
960mm x 600mm  
LR 966 PS LH
- 960mm x 600mm, centre to centre
- Available in Left Hand & Right Hand
- Meets the requirements of AS 1428.1:2021



- Shower Recess Grab Rail Kits**  
LR 071 PS
- 700mm and 900mm grab rails, centre to centre
- Hand shower kits available
- Meets the requirements of AS 1428.1:2021



- Linear Streamjet™**  
LF 900J C
- 900mm Grab rail, centre to centre
- Streamjet™ Handheld Shower
- Brass Friction Slide handset cradle
- Meets requirements of AS 1428.1:2021



Our superior, industry leading shower range

Our premium Linear shower combines the superior quality you expect from Con-Serv, with Hygienic Seal mounting system featuring Biomaster Antimicrobial Thermoplastic Elastomer (TPE) seals.

Linear showers are easy to install and height adjustable making them the perfect choice when you need a flexible showering solution.



6.5L/Min available in Streamjet™ Model only\*



- Linear Streamjet™ XL Turbo**  
LF 079S C
- 700mm and 900mm Grab Rails, centre to centre
- Streamjet™ Turbo Handheld Shower
- Brass Friction Slide Cradle
- Meets requirements of AS 1428.1:2021




# TWIN WATERS™



Scan to see our full range



 Linear Twin Waters™ Cosmic/Streamjet™ LT 110CJ C 45  
 

- Top and Bottom Inlet available
- Meets requirements of AS 1428.1:2021

 Linear Twin Waters™ Cosmic/Streamjet™ XL LT 111CX C 45  
 

- Top and Bottom Inlet available
- Meets requirements of AS 1428.1:2021



## A fresh perspective on grab rail showering.




The Linear Twin Waters™ combines our dual showering experience with 32mm grab rail, body and wall fixtures.

Multiple orientations and configurations allow for an all-in-one shower that generally meets the requirements of AS 1428.1.

- Linear grab rail with diverter and friction cradle for handheld support
- Hygienic Seal flange with Antimicrobial Seals
- Rain maker shower with swiveling overhead arm
- Handheld shower with 1500mm Silverflex® PVC hose
- Polish Supreme™ finish
- Optional Push-PullMe® Cradle and Rod; and/or Extended 650mm Swivel Arm (for seated users)

All Linear Twin Waters are 3 Star - 9 L /min rated as per WELS licence number 0046.



 'T' Model Linear Twin Waters™ Cosmic/Streamjet™ LT 071CJ C M45  
 

- Available in left hand, middle fix or right hand configurations
- Meets requirements of AS 1428.1:2021



# HYGIENIC SEAL®



Scan to see our full range



- Ambulant Toilet Assist Grab Rail  
HS 454 PS LH
- 450mm x 450mm
- Available in Left Hand & Right Hand
- Meets the requirements of AS 1428.1:2021



- Straight Grab Rail  
HS 450 PS
- Available in 200mm, 300mm, 400mm, 450mm, 500mm, 600mm, 700mm, 750mm, 800mm, 900mm, 1000mm, 1100mm and 1200mm
- Meets the requirements of AS 1428.1:2021



- Accessible Toilet Assist Grab Rails  
HS 966 PS LH
- 960mm x 600mm, centre to centre
- 50mm brass screw on flange covers with Biomaster Thermoplastic Elastomer (TPE) fitted seals
- Available in Left Hand & Right Hand
- Meets the requirements of AS 1428.1:2021



- Shower Recess Inverted "T" Grab Rails  
HS 071 PS LH
- 700 x 1100mm Grab Rail
- Available in Left Hand, Middle Fix & Right Hand
- Hand shower kits available
- Meets the requirements of AS 1428.1:2021



- Friction Slide Shower  
HF 900J C
- 900mm Grab rail centre to centre
- Streamjet™ Handheld Shower
- Brass Friction Slide Cradle
- Meets the requirements of AS 1428.1:2021



- Glide Slide Shower  
GS 900X C
- 900mm Grab rail centre to centre
- Streamjet™ XL Handheld Shower
- ABS Glide Slide handset cradle
- Meets the requirements of AS 1428.1:2021



## Premium Healthcare Showers

The Hygienic Seal® mounting system includes a Biomaster Antimicrobial Thermoplastic Elastomer (TPE) seal.

When installed correctly, prevents grime such as soap scum, body fluids, ointments and other aqueous based fluids accumulating behind the grab rail flange covers.



6.5L/Min available in Streamjet™ Model only\*

### Accessible Kit 3

ID 01803 C

- 1000mm Grab rail, centre to centre
- Hoscare® Handheld Shower
- Brass Friction Slide handset cradle
- Push-Pull Me® shower height adjustment rod
- Meets the requirements of AS 1428.1:2021

# CLAM® FLANGE



Scan to see our full range



- Ambulant Toilet Assist Grab Rails  
CF 454 PS
- 450mm x 450mm, centre to centre
- Reversible Design



- Straight Grab Rail  
CF 450 PS
- Available in 300mm, 450mm, 600mm, 700mm, 900mm & 1000mm, centre to centre
- All measurements are centre to centre



- Accessible Shower  
IC 01820 CC LH
- 700mm x 1000mm Grab rail
- Hoscare® Handheld Shower
- Brass Friction Slide Handset Cradle
- Push-PullMe® Shower height adjustment rod
- Available in Left Hand (Shown), Middle Fix & Right Hand



- Accessible Toilet Assist Grab Rails  
CF 966 PS LH
- 960mm x 600mm, centre to centre
- Clam flange cover is a firm press fit to mounting plate
- Available in Left Hand & Right Hand



- Shower Recess Inverted "T" Grab Rails  
CF 071 PS LH
- 700mm x 1100mm grab rail, centre to centre
- Available in Left Hand (Shown), Middle Fix & Right Hand
- Hand shower kits available



- Friction Slide Shower  
CF 01803 C
- 900mm Grab rail, centre to centre
- Hoscare® Handheld Shower
- Friction Slide cradle



- Glide Slide Shower  
CF 01809 C
- 900mm Grab rail, centre to centre
- Hoscare® Handheld Shower
- ABS Glide Slide cradle

## Functional and Reliable Showers

Clam® Flange healthcare showers are made from the highest quality materials.

Designed for aged care, hospitals and public facilities, all Con-Serv grab rail showers comply with AS 1428.1:2021 and are WELS rated as per licence number 0046.



# SHOWER SEATS



Scan to see our full range



- Accessible Suites
- SS 964 PS
  - Seat size: 960mm x 400mm
  - Folding legs for added support
  - HDPE Seat Deck
  - Maximum load 250kg
  - Meets the requirements of AS 1428.1:2021



- Wheelchair Transfer
- SS 964 BS WM
  - Seat size: 960mm x 400mm
  - Transfer conveniently from wheelchair
  - HDPE Seat Deck
  - Maximum load 250kg
  - Meets the requirements of AS 1428.1:2021



- Slatted Seat Deck
- SS 964 BS ME
  - Seat size: 960mm x 400mm
  - 3 part slatted stainless steel seat deck
  - Maximum load 250kg
  - Meets the requirements of AS 1428.1:2021



- Comfort Shower Seat
- SS 403 WT
  - Seat size: 400mm x 330mm
  - Slow descent seat bracket
  - Maximum load 110kg
  - Stainless steel fixings



# WALL MOUNTED BACKREST



Scan to see our full range



- Hygienic Seal® Wall Mounted Backrest
- BR 400 PS HS
  - WC support device for disabled, aged and the infirmed
  - Accessible compliant
  - Complies with section 12.2.4 of AS 1428.1:2021 for removal and refitting




# TILTLOCK®



Scan to see our full range



- Tiltlock® 850mm Grab Rail
- TL 850 PS LH
  - 850mm folding grab rail
  - Locks in horizontal or vertical positions
  - Suitable for non-compliant applications in hospitals, aged care facilities and nursing homes
  - Safe working load 200kg downwards



- Tiltlock® 850mm Grab Rail with Fixed Toilet Paper Holder
- TL 850 PS RHS
  - 850mm folding grab rail
  - Stainless steel toilet paper holder
  - Locks in horizontal or vertical positions
  - Suitable for non-compliant applications in hospitals, aged care facilities and nursing homes
  - Safe working load 200kg downwards





# SHOWER KITS



Scan to see our full range

## Friction Slide Shower Kit HS 01804J C

- ABS 100mm single function shower with Biomaster antimicrobial additive
- 32mm Friction Slide Cradle
- DR brass wall outlet elbow
- Licenced dual check/non-return valve
- PVC 1500mm Hose

Grab Rail not Included\*  
Only compatible with Con-Serv Grab Rails\*



## Commercial Shower Kit HS 01806 C

- ABS Glide Slide Cradle
- ABS 100mm single function shower with Biomaster
- Rub-clean spray diffuser
- DR brass wall outlet elbow
- Licenced dual check/non-return valve
- PVC 1500mm Hose

Grab Rail not Included\*  
Only compatible with Con-Serv Grab Rails\*



## Push-PullMe® Cradle Shower Kit ID 01804 C

- ABS 100mm single function shower with Biomaster antimicrobial additive
- 32 mm Push-Pullme® Cradle with Height Adjustment Rod
- DR brass wall outlet elbow
- Licenced dual check/non-return valve
- PVC 1500mm Hose

Grab Rail not Included\*  
Only compatible with Con-Serv Grab Rails\*



## Hose Restrictor Bracket HR 015 C

- Suited to Accessible showers with 1500mm hose in close proximity to WC
- Dual screw wall mount plate
- Stainless Steel fixings supplies

## Grab Rail Soap Dish Holder SD 032 GYC

- Retrofits to 32mm grab rail
- Chrome plated lock nut
- ABS Construction
- Simple to clean



# Handpieces

## Showers



Streamjet™  
HS 038 C  
• 100mm



Streamjet™ XL  
HP 130 C  
• 130mm



Streamjet™ Turbo  
HP 042 C  
• 100mm



Streamjet™ XL Turbo  
HP 142 C  
• 130mm



Hoscare  
HP 030 AC  
• 100mm



Princess  
HP 034 C  
• 83mm



LF 079X MB



**CON-SERV**  
care for the future 



Scan to view our Warranty